



EMSL Analytical, Inc.

165 Gracey Avenue Meriden, CT 06451
Tel/Fax: (203) 284-5948 / (203) 284-5978
<http://www.EMSL.com> / meridenlab@emsl.com

EMSL Order: 242304392
Customer ID: ATCE54
Customer PO: 19-10133-0001
Project ID:

Attention: Doug Rhoads
Atlas Technical
290 Roberts Street
Suite 301
East Hartford, CT 06108
Project: ASNUNTUCK CC-IAQ, FACULTY SUITES A, C, D + ROOM 207+212

Phone: (860) 549-7495
Fax: (860) 282-9826
Collected Date: 08/18/2023
Received Date: 08/18/2023 01:10 PM
Analyzed Date: 08/21/2023

Test Report: Air-O-Cell™ Analysis of Fungal Spores & Particulates by Optical Microscopy (Methods MICRO-SOP-201, ASTM D7391)

Lab Sample Number:	242304392-0001			242304392-0002			242304392-0003		
Client Sample ID:	1			2			3		
Volume (L):	75			75			75		
Sample Location:	OUTSIDE 1			152			152E		
Spore Types	Raw Count	Count/m ³	% of Total	Raw Count	Count/m ³	% of Total	Raw Count	Count/m ³	% of Total
Alternaria (Ulocladium)	-	-	-	-	-	-	-	-	-
Ascospores	65	2900	2.4	6	300	2.3	2	90	2.2
Aspergillus/Penicillium	2	90	0.1	5	200	1.5	1	40	1
Basidiospores	2620	116000	96.9	281	12400	94.9	85	3800	94.8
Bipolaris++	-	-	-	-	-	-	-	-	-
Chaetomium++	-	-	-	-	-	-	-	-	-
Cladosporium	1	40	0	-	-	-	1	40	1
Curvularia	-	-	-	-	-	-	-	-	-
Epicoccum	-	-	-	1*	10*	0.1	-	-	-
Fusarium++	-	-	-	-	-	-	-	-	-
Ganoderma	9	400	0.3	2*	30*	0.2	1	40	1
Myxomycetes++	4	200	0.2	-	-	-	-	-	-
Pithomyces++	-	-	-	2*	30*	0.2	-	-	-
Rust	-	-	-	2	90	0.7	-	-	-
Scopulariopsis/Microascus	-	-	-	-	-	-	-	-	-
Stachybotrys/Memnoniella	-	-	-	-	-	-	-	-	-
Unidentifiable Spores	1	40	0	-	-	-	-	-	-
Zygomycetes	-	-	-	-	-	-	-	-	-
Chaetoconis	-	-	-	-	-	-	-	-	-
Total Fungi	2702	119670	100	299	13060	100	90	4010	100
Hyphal Fragment	1	40	-	-	-	-	1*	10*	-
Insect Fragment	1*	10*	-	-	-	-	-	-	-
Pollen	-	-	-	-	-	-	-	-	-
Analyt. Sensitivity 600x	-	44	-	-	44	-	-	44	-
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-
Skin Fragments (1-4)	-	1	-	-	2	-	-	1	-
Fibrous Particulate (1-4)	-	1	-	-	1	-	-	1	-
Background (1-5)	-	1	-	-	1	-	-	1	-

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category.

Gloria V. Oriol-Aguilar, Microbiology Director
or other Approved Signatory

No discernable field blank was submitted with this group of samples.

Skin Fragment and Fibrous Particulate ratings are based on the percent of non-fungal material they represent: 1 (1-25%), 2 (26-50%), 3 (51-75%), or 4 (76-100%). Background ratings are based on the total area covered by non-fungal particles: 1 (1-25%), 2 (26-50%), 3 (51-75%), 4 (76-99%), or 5 (100%; overloaded, prohibiting accurate detection and quantification). High levels of background will obscure spores and other particulates, leading to underestimation. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. *** Denotes particles found at 300X. *- Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. When the information supplied by the customer can affect the validity of the result, it will be noted on the report.

Samples analyzed by EMSL Analytical, Inc. Rochester, NY AIHA LAP, LLC-EMLAP Accredited #284534

Initial report from: 08/21/2023 04:17 PM

For information on the fungi listed in this report, please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

165 Gracey Avenue Meriden, CT 06451
Tel/Fax: (203) 284-5948 / (203) 284-5978
<http://www.EMSL.com / meridenlab@emsl.com>

EMSL Order: 242304392
Customer ID: ATCE54
Customer PO: 19-10133-0001
Project ID:

Attention: Doug Rhoads
Atlas Technical
290 Roberts Street
Suite 301
East Hartford, CT 06108
Project: ASNUNTUCK CC-IAQ, FACULTY SUITES A, C, D + ROOM 207+212

Phone: (860) 549-7495
Fax: (860) 282-9826
Collected Date: 08/18/2023
Received Date: 08/18/2023 01:10 PM
Analyzed Date: 08/21/2023

Test Report: Air-O-Cell™ Analysis of Fungal Spores & Particulates by Optical Microscopy (Methods MICRO-SOP-201, ASTM D7391)

Lab Sample Number: Client Sample ID: Volume (L): Sample Location:	242304392-0004			242304392-0005			242304392-0006		
	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total
152D	152C	152B							
Spore Types									
Alternaria (Ulocladium)	-	-	-	-	-	-	-	-	-
Ascospores	3	100	1.8	3	100	1.3	4	200	1.2
Aspergillus/Penicillium	-	-	-	-	-	-	2	90	0.5
Basidiospores	114	5040	91.6	165	7290	97.6	367	16200	97.2
Bipolaris++	-	-	-	-	-	-	-	-	-
Chaetomium++	-	-	-	-	-	-	-	-	-
Cladosporium	7	300	5.5	-	-	-	2	90	0.5
Curvularia	1*	10*	0.2	-	-	-	-	-	-
Epicoccum	-	-	-	-	-	-	-	-	-
Fusarium++	-	-	-	-	-	-	-	-	-
Ganoderma	1	40	0.7	1	40	0.5	2	90	0.5
Myxomycetes++	1*	10*	0.2	1	40	0.5	-	-	-
Pithomyces++	-	-	-	-	-	-	-	-	-
Rust	-	-	-	-	-	-	-	-	-
Scopulariopsis/Microascus	-	-	-	-	-	-	-	-	-
Stachybotrys/Memnoniella	-	-	-	-	-	-	-	-	-
Unidentifiable Spores	-	-	-	-	-	-	-	-	-
Zygomycetes	-	-	-	-	-	-	-	-	-
Chaetoconis	-	-	-	-	-	-	-	-	-
Total Fungi	127	5500	100	170	7470	100	377	16670	100
Hyphal Fragment	-	-	-	-	-	-	-	-	-
Insect Fragment	-	-	-	-	-	-	-	-	-
Pollen	-	-	-	-	-	-	-	-	-
Analyt. Sensitivity 600x	-	44	-	-	44	-	-	44	-
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-
Skin Fragments (1-4)	-	2	-	-	2	-	-	2	-
Fibrous Particulate (1-4)	-	1	-	-	1	-	-	1	-
Background (1-5)	-	1	-	-	1	-	-	1	-

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category.

Gloria V. Oriol-Aguilar, Microbiology Director
or other Approved Signatory

No discernable field blank was submitted with this group of samples.

Skin Fragment and Fibrous Particulate ratings are based on the percent of non-fungal material they represent: 1 (1-25%), 2 (26-50%), 3 (51-75%), or 4 (76-100%). Background ratings are based on the total area covered by non-fungal particles: 1 (1-25%), 2 (26-50%), 3 (51-75%), 4 (76-99%), or 5 (100%; overloaded, prohibiting accurate detection and quantification). High levels of background will obscure spores and other particulates, leading to underestimation. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. *** Denotes particles found at 300X. *- Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. When the information supplied by the customer can affect the validity of the result, it will be noted on the report.

Samples analyzed by EMSL Analytical, Inc. Rochester, NY AIHA LAP, LLC-EMLAP Accredited #284534

Initial report from: 08/21/2023 04:17 PM

For information on the fungi listed in this report, please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

165 Gracey Avenue Meriden, CT 06451
Tel/Fax: (203) 284-5948 / (203) 284-5978
<http://www.EMSL.com> / meridenlab@emsl.com

EMSL Order: 242304392
Customer ID: ATCE54
Customer PO: 19-10133-0001
Project ID:

Attention: Doug Rhoads
Atlas Technical
290 Roberts Street
Suite 301
East Hartford, CT 06108
Project: ASNUNTUCK CC-IAQ, FACULTY SUITES A, C, D + ROOM 207+212

Phone: (860) 549-7495
Fax: (860) 282-9826
Collected Date: 08/18/2023
Received Date: 08/18/2023 01:10 PM
Analyzed Date: 08/21/2023

Test Report: Air-O-Cell™ Analysis of Fungal Spores & Particulates by Optical Microscopy (Methods MICRO-SOP-201, ASTM D7391)

Lab Sample Number: Client Sample ID: Volume (L): Sample Location:	242304392-0007			242304392-0008			242304392-0009		
	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total
Spore Types									
Alternaria (Ulocladium)	-	-	-	-	-	-	-	-	-
Ascospores	8	400	7.2	11	490	4.5	3	100	3.5
Aspergillus/Penicillium	-	-	-	-	-	-	1	40	1.4
Basidiospores	115	5080	92	233	10300	94.7	59	2600	91.5
Bipolaris++	-	-	-	-	-	-	-	-	-
Chaetomium++	-	-	-	-	-	-	-	-	-
Cladosporium	1	40	0.7	2	90	0.8	1	40	1.4
Curvularia	-	-	-	-	-	-	-	-	-
Epicoccum	-	-	-	-	-	-	1*	10*	0.4
Fusarium++	-	-	-	-	-	-	-	-	-
Ganoderma	-	-	-	-	-	-	-	-	-
Myxomycetes++	-	-	-	-	-	-	-	-	-
Pithomyces++	-	-	-	-	-	-	1	40	1.4
Rust	-	-	-	-	-	-	1*	10*	0.4
Scopulariopsis/Microascus	-	-	-	-	-	-	-	-	-
Stachybotrys/Memnoniella	-	-	-	-	-	-	-	-	-
Unidentifiable Spores	-	-	-	-	-	-	-	-	-
Zygomycetes	-	-	-	-	-	-	-	-	-
Chaetoconis	-	-	-	-	-	-	-	-	-
Total Fungi	124	5520	100	246	10880	100	67	2840	100
Hyphal Fragment	-	-	-	-	-	-	-	-	-
Insect Fragment	1	40	-	-	-	-	-	-	-
Pollen	-	-	-	-	-	-	-	-	-
Analyt. Sensitivity 600x	-	44	-	-	44	-	-	44	-
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-
Skin Fragments (1-4)	-	1	-	-	2	-	-	2	-
Fibrous Particulate (1-4)	-	1	-	-	1	-	-	1	-
Background (1-5)	-	1	-	-	1	-	-	1	-

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category.

Gloria V. Oriol-Aguilar, Microbiology Director
or other Approved Signatory

No discernable field blank was submitted with this group of samples.

Skin Fragment and Fibrous Particulate ratings are based on the percent of non-fungal material they represent: 1 (1-25%), 2 (26-50%), 3 (51-75%), or 4 (76-100%). Background ratings are based on the total area covered by non-fungal particles: 1 (1-25%), 2 (26-50%), 3 (51-75%), 4 (76-99%), or 5 (100%; overloaded, prohibiting accurate detection and quantification). High levels of background will obscure spores and other particulates, leading to underestimation. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. "*" Denotes particles found at 300X. "-" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. When the information supplied by the customer can affect the validity of the result, it will be noted on the report.

Samples analyzed by EMSL Analytical, Inc. Rochester, NY AIHA LAP, LLC-EMLAP Accredited #284534

Initial report from: 08/21/2023 04:17 PM

For information on the fungi listed in this report, please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

165 Gracey Avenue Meriden, CT 06451
Tel/Fax: (203) 284-5948 / (203) 284-5978
<http://www.EMSL.com> / meridenlab@emsl.com

EMSL Order: 242304392
Customer ID: ATCE54
Customer PO: 19-10133-0001
Project ID:

Attention: Doug Rhoads
Atlas Technical
290 Roberts Street
Suite 301
East Hartford, CT 06108
Project: ASNUNTUCK CC-IAQ, FACULTY SUITES A, C, D + ROOM 207+212

Phone: (860) 549-7495
Fax: (860) 282-9826
Collected Date: 08/18/2023
Received Date: 08/18/2023 01:10 PM
Analyzed Date: 08/21/2023

Test Report: Air-O-Cell™ Analysis of Fungal Spores & Particulates by Optical Microscopy (Methods MICRO-SOP-201, ASTM D7391)

Lab Sample Number: Client Sample ID: Volume (L): Sample Location:	242304392-0010			242304392-0011			242304392-0012		
	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total
10 75 112A				11 75 112B			12 75 112C		
Spore Types	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total
Alternaria (Ulocladium)	-	-	-	-	-	-	-	-	-
Ascospores	15	660	3.7	3	100	3.8	2	90	1.8
Aspergillus/Penicillium	1	40	0.2	-	-	-	29	1300	25.7
Basidiospores	381	16800	93.9	55	2400	92	67	3000	59.4
Bipolaris++	-	-	-	-	-	-	-	-	-
Chaetomium++	-	-	-	-	-	-	-	-	-
Cladosporium	4	200	1.1	3	100	3.8	8	400	7.9
Curvularia	-	-	-	-	-	-	-	-	-
Epicoccum	-	-	-	-	-	-	-	-	-
Fusarium++	-	-	-	-	-	-	-	-	-
Ganoderma	4	200	1.1	-	-	-	2	90	1.8
Myxomycetes++	-	-	-	-	-	-	2	90	1.8
Pithomyces++	-	-	-	1*	10*	0.4	2*	30*	0.6
Rust	-	-	-	-	-	-	1*	10*	0.2
Scopulariopsis/Microascus	-	-	-	-	-	-	-	-	-
Stachybotrys/Memnoniella	-	-	-	-	-	-	-	-	-
Unidentifiable Spores	-	-	-	-	-	-	1	40	0.8
Zygomycetes	-	-	-	-	-	-	-	-	-
Chaetoconis	-	-	-	-	-	-	-	-	-
Total Fungi	405	17900	100	62	2610	100	114	5050	100
Hyphal Fragment	-	-	-	1*	10*	-	1*	10*	-
Insect Fragment	-	-	-	-	-	-	-	-	-
Pollen	2*	30*	-	-	-	-	-	-	-
Analyt. Sensitivity 600x	-	44	-	-	44	-	-	44	-
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-
Skin Fragments (1-4)	-	2	-	-	3	-	-	2	-
Fibrous Particulate (1-4)	-	1	-	-	1	-	-	1	-
Background (1-5)	-	1	-	-	1	-	-	1	-

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category.

Gloria V. Oriol-Aguilar, Microbiology Director
or other Approved Signatory

No discernable field blank was submitted with this group of samples.

Skin Fragment and Fibrous Particulate ratings are based on the percent of non-fungal material they represent: 1 (1-25%), 2 (26-50%), 3 (51-75%), or 4 (76-100%). Background ratings are based on the total area covered by non-fungal particles: 1 (1-25%), 2 (26-50%), 3 (51-75%), 4 (76-99%), or 5 (100%; overloaded, prohibiting accurate detection and quantification). High levels of background will obscure spores and other particulates, leading to underestimation. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. *** Denotes particles found at 300X. *- Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. When the information supplied by the customer can affect the validity of the result, it will be noted on the report.

Samples analyzed by EMSL Analytical, Inc. Rochester, NY AIHA LAP, LLC-EMLAP Accredited #284534

Initial report from: 08/21/2023 04:17 PM

For information on the fungi listed in this report, please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

165 Gracey Avenue Meriden, CT 06451
Tel/Fax: (203) 284-5948 / (203) 284-5978
<http://www.EMSL.com> / meridenlab@emsl.com

EMSL Order: 242304392
Customer ID: ATCE54
Customer PO: 19-10133-0001
Project ID:

Attention: Doug Rhoads
Atlas Technical
290 Roberts Street
Suite 301
East Hartford, CT 06108
Project: ASNUNTUCK CC-IAQ, FACULTY SUITES A, C, D + ROOM 207+212

Phone: (860) 549-7495
Fax: (860) 282-9826
Collected Date: 08/18/2023
Received Date: 08/18/2023 01:10 PM
Analyzed Date: 08/21/2023

Test Report: Air-O-Cell™ Analysis of Fungal Spores & Particulates by Optical Microscopy (Methods MICRO-SOP-201, ASTM D7391)

Lab Sample Number:	242304392-0013			242304392-0014			242304392-0015		
Client Sample ID:	13			14			15		
Volume (L):	75			75			75		
Sample Location:	112D			212			207		
Spore Types	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total
Alternaria (Ulocladium)	-	-	-	-	-	-	-	-	-
Ascospores	7	300	6.1	-	-	-	2	90	10
Aspergillus/Penicillium	12	530	10.8	5	200	48.8	5	200	22.2
Basidiospores	90	4000	81.3	5	200	48.8	13	570	63.3
Bipolaris++	-	-	-	-	-	-	-	-	-
Chaetomium++	-	-	-	-	-	-	-	-	-
Cladosporium	1	40	0.8	-	-	-	1	40	4.4
Curvularia	-	-	-	-	-	-	-	-	-
Epicoccum	-	-	-	-	-	-	-	-	-
Fusarium++	-	-	-	-	-	-	-	-	-
Ganoderma	1	40	0.8	-	-	-	-	-	-
Myxomycetes++	1*	10*	0.2	-	-	-	-	-	-
Pithomyces++	-	-	-	-	-	-	-	-	-
Rust	-	-	-	1*	10*	2.4	-	-	-
Scopulariopsis/Microascus	-	-	-	-	-	-	-	-	-
Stachybotrys/Memnoniella	-	-	-	-	-	-	-	-	-
Unidentifiable Spores	-	-	-	-	-	-	-	-	-
Zygomycetes	-	-	-	-	-	-	-	-	-
Chaetoconis	-	-	-	-	-	-	-	-	-
Total Fungi	112	4920	100	11	410	100	21	900	100
Hyphal Fragment	-	-	-	-	-	-	-	-	-
Insect Fragment	-	-	-	-	-	-	-	-	-
Pollen	-	-	-	-	-	-	-	-	-
Analyt. Sensitivity 600x	-	44	-	-	44	-	-	44	-
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-
Skin Fragments (1-4)	-	1	-	-	2	-	-	2	-
Fibrous Particulate (1-4)	-	1	-	-	1	-	-	1	-
Background (1-5)	-	1	-	-	1	-	-	1	-

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category.

Gloria V. Oriol-Aguilar, Microbiology Director
or other Approved Signatory

No discernable field blank was submitted with this group of samples.

Skin Fragment and Fibrous Particulate ratings are based on the percent of non-fungal material they represent: 1 (1-25%), 2 (26-50%), 3 (51-75%), or 4 (76-100%). Background ratings are based on the total area covered by non-fungal particles: 1 (1-25%), 2 (26-50%), 3 (51-75%), 4 (76-99%), or 5 (100%; overloaded, prohibiting accurate detection and quantification). High levels of background will obscure spores and other particulates, leading to underestimation. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. *** Denotes particles found at 300X. *- Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. When the information supplied by the customer can affect the validity of the result, it will be noted on the report.

Samples analyzed by EMSL Analytical, Inc. Rochester, NY AIHA LAP, LLC-EMLAP Accredited #284534

Initial report from: 08/21/2023 04:17 PM

For information on the fungi listed in this report, please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

165 Gracey Avenue Meriden, CT 06451
Tel/Fax: (203) 284-5948 / (203) 284-5978
<http://www.EMSL.com> / meridenlab@emsl.com

EMSL Order: 242304392
Customer ID: ATCE54
Customer PO: 19-10133-0001
Project ID:

Attention: Doug Rhoads
Atlas Technical
290 Roberts Street
Suite 301
East Hartford, CT 06108
Project: ASNUNTUCK CC-IAQ, FACULTY SUITES A, C, D + ROOM 207+212

Phone: (860) 549-7495
Fax: (860) 282-9826
Collected Date: 08/18/2023
Received Date: 08/18/2023 01:10 PM
Analyzed Date: 08/21/2023

Test Report: Air-O-Cell™ Analysis of Fungal Spores & Particulates by Optical Microscopy (Methods MICRO-SOP-201, ASTM D7391)

Lab Sample Number:	242304392-0020		
Client Sample ID:	16		
Volume (L):	75		
Sample Location:	OUTSIDE 2		
Spore Types	Raw Count	Count/m³	% of Total
Alternaria (Ullocladium)	1	40	0.1
Ascospores	418	18500	42.3
Aspergillus/Penicillium	4	200	0.5
Basidiospores	550	24300	55.5
Bipolaris++	-	-	-
Chaetomium++	-	-	-
Cladosporium	9	400	0.9
Curvularia	-	-	-
Epicoccum	-	-	-
Fusarium++	-	-	-
Ganoderma	3	100	0.2
Myxomycetes++	2	90	0.2
Pithomyces++	-	-	-
Rust	-	-	-
Scopulariopsis/Microascus	-	-	-
Stachybotrys/Memnoniella	-	-	-
Unidentifiable Spores	1	40	0.1
Zygomycetes	-	-	-
Chaetoconis	2	90	0.2
Total Fungi	990	43760	100
Hyphal Fragment	-	-	-
Insect Fragment	-	-	-
Pollen	-	-	-
Analyt. Sensitivity 600x	-	44	-
Analyt. Sensitivity 300x	-	13*	-
Skin Fragments (1-4)	-	1	-
Fibrous Particulate (1-4)	-	1	-
Background (1-5)	-	1	-

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category.

Gloria V. Oriol-Aguilar, Microbiology Director
or other Approved Signatory

No discernable field blank was submitted with this group of samples.

Skin Fragment and Fibrous Particulate ratings are based on the percent of non-fungal material they represent: 1 (1-25%), 2 (26-50%), 3 (51-75%), or 4 (76-100%). Background ratings are based on the total area covered by non-fungal particles: 1 (1-25%), 2 (26-50%), 3 (51-75%), 4 (76-99%), or 5 (100%; overloaded, prohibiting accurate detection and quantification). High levels of background will obscure spores and other particulates, leading to underestimation. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. *** Denotes particles found at 300X. *- Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. When the information supplied by the customer can affect the validity of the result, it will be noted on the report.

Samples analyzed by EMSL Analytical, Inc. Rochester, NY AIHA LAP, LLC-EMLAP Accredited #284534

Initial report from: 08/21/2023 04:17 PM

For information on the fungi listed in this report, please visit the Resources section at www.emsl.com